

CLAIMS

1. A gas sensor comprising a chamber arranged to admit gas, one or more radiation sources, a plurality of
5 detectors sensitive to radiation from the one or more sources, and a plurality of respective reflective curved surfaces, the detectors each being arranged to receive radiation from the one or more sources reflected by the
10 respective curved surfaces of curvature such that light from the one or more sources is focussed onto each detector.
2. A gas sensor as claimed in claim 1, wherein one source is located substantially at a first focus of each respective reflective curved surface.
- 15 3. A gas sensor as claimed in claim 1, wherein each detector is located substantially at a second focus of each respective reflective curved surface.
4. A gas sensor as claimed in any one of claims 1 to 3, reflective curved surfaces are part ellipsoidal surfaces.
- 20 5. A gas sensor as claimed in any preceding claim, further comprising a central region between the detectors, there being one source being located in the central region.
- 25 6. A gas sensor as claimed in claim 4 or 5, wherein one of the detectors is at a focus of a first part ellipsoidal surface, a second detector is at a focus of a second part ellipsoidal surface and the first and second ellipsoids share a common virtual focus.

5 7. A gas sensor as claimed in claim 6, wherein the first sensor is arranged to detect a first predetermined gas and the second sensor is arranged to detect a second predetermined gas.

8. A gas sensor as claimed in any preceding claim, further comprising a reference detector.

10 9. A gas sensor as claimed in any preceding claim wherein one of the one or more radiation sources is an infrared source.

15 10. A gas sensor as claimed in any preceding claim wherein the source is arranged to heat substantially all the surfaces from which light is reflected to a temperature above ambient temperature.

20 11. A gas sensor as claimed in claim 5, wherein the one radiation source is arranged with the plurality of detectors around the one source, each respective reflective surface being arranged to reflect light from the one source to the respective detector.

25 12. A gas sensor as claimed in claim 11, further comprising a further reflective surface so arranged that light from the one radiation source is reflected by the further reflective surface onto each respective reflective curved surface and then to each respective detector.

30 13. A gas sensor as claimed in claim 12, wherein the further reflective surface comprises an annular reflective surface.

14. A gas sensor as claimed in any preceding claim, wherein each detector is arranged to receive radiation from a narrow solid angle.

5 15. A gas sensor as claimed in claim 1, wherein the one
or more radiation sources comprising a plurality of
radiation sources, the detectors each being arranged to
receive radiation from a respective one of the plurality
of radiation sources reflected by a respective one of the
10 curved surfaces.

16. A gas sensor as claimed in claim 5, wherein the one source is generally omnidirectional.